



## Fruitiness & Minerality



The aromatic expression of **EQUILIBRE®** barrel derives from staves made from French oak originating from a more stressful environment (i.e. soil, earth, rocks, climate, selection process). **EQUILIBRE®** will bring out the freshness and fruitiness of a wine and is capable of enhancing its natural soil influence and minerality.

### Profile & Aroma

- Organoleptic properties naturally poor in aromatic agents
- Non-empyreumatic extraction
- Expression of discrete French oak character which will enhance the elegant, delicate nature of your wines
- The colour of wine will be sparkling and brilliant
- The nose will have an enhanced fruitiness
- The palate a tightness brought out by the organoleptic potential of the blend

Retro-olfaction will give a precise expression of the fruit character and Terroir.

### Recommendations

- For conventional barrel maturation and non-conventional (from 6 to 10 months)
- Particularly white grape varieties
- Also suitable for red varieties
- For light, fresh, mineral wines

# CADUS

Taste Unique

### Origin & Selection

- A blend of selected French oak staves, rich in tannins and naturally tight and “tense”
- This blend has the profile and expression of this type of terroir

### Static stabilisation

- All staves are seasoned in the open air for a period of 30 months

### Toasting

- M Type: slow and deep oak extraction
- Pur® process

### Available products

Volume (litre)	114	225	228	265	300	400	500
Height (cm)	69	95	88	97	102	108	108.5
Bottom Ø (cm)	48	56	60	60	63	71	80
Bilge Ø (cm)	58	69	73	74	75	85	94
Thickness (mm)	22	22-27	22-27	27	27	27	27
Weight (kg)	25	45	45	50	55	60	85
Number of hoops	6	6-8	6-8	6-8	8	8	8

The barrels are handmade: the measurements can change and are given for information only.

### Available finishing options

- Please contact us








Bourgogne 228 L  
6 galvanized hoops

### Information & Sales

Tonnellerie CADUS  
Tel.: (+33) 03 80 26 49 49  
Fax.: (+33) 03 80 26 49 50  
contact@tonnelleriecadus.com

# CADUS: Available finishing options






## Sensoriel Range & CbyCADUS\*\*

		CbyCADUS**								VOLUME®							EQUILIBRE®							INTENSE®							ACCESS®													
FINISHING OPTIONS		TECHNICAL DATA								114	225	228	265	300	400	500	114	225	228	265	300	400	500	114	225	228	265	300	400	500	114	225	228	265	300	400	500	114	225	228	265	300	400	500
Export 6		2 x 3 steel hoops*																																										
Export 6 1 cross-bar		2 x 3 steel hoops*, 1 pine bar 140																																										
Export 6 2 cross-bars		2 x 3 steel hoops*, 2 pine bars 140 & 100																																										
Export 8		2 x 4 steel hoops*																																										
Export 8 1 cross-bar		2 x 4 steel hoops*, 1 pine bar 140																																										

\*galvanized steel hoops or painted black steel hoops \*\*CbyCADUS: painted black hoops (galvanized on request)

# CADUS: Available finishing options

## Sensoriel Range & CbyCADUS\*\*

FINISHING OPTIONS	TECHNICAL DATA	CbyCADUS**								VOLUME®								EQUILIBRE®								INTENSE®								ACCESS®							
		114	225	228	265	300	400	500	114	225	228	265	300	400	500	114	225	228	265	300	400	500	114	225	228	265	300	400	500	114	225	228	265	300	400	500					
Export 8 2 cross-bars 	2 x 4 steel hoops*, 2 pine bars 140 & 100																																								
Batard Hoops 	2 x (2 stapled chestnut hoops, 3 steel hoops*)																																								
Bourgogne Château 	2 x (2 stapled chestnut hoops, 3 steel hoops*, 2 stapled chestnut hoops)																																								
Bordeaux Ferré 	2 x 5 steel hoops*, 2 pine bars 140 & 100																																								
Bordeaux Château 	2 x (2 chestnut hoops, vim, 4 steel hoops*), 2 pine bars 140 & 100																																								

\*galvanized steel hoops or painted black steel hoops \*\*CbyCADUS: painted black hoops (galvanized on request)